

2008 TUNDRA 4X4 FEATURES

| | REGULAR CAB | | | DOUBLE CAB | | | | CREWMAX | |
|---|-------------|----------|-------|------------|-------|-------|---------|-----------|-----------|
| | DLX LONG | SRS LONG | STD | SRS STD | LONG | STD | LTD STD | SRS SHORT | LTD SHORT |
| INTERIOR | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |
| AM/FM CD/MP3/WMA Player, 4-Speakers, Audio Auxiliary Input Jack | ● | ● | — | — | — | — | — | — | — |
| AM/FM CD/MP3/WMA Player, 6-Speakers, Audio Auxiliary Input Jack | — | — | ● | ● | ● | — | — | ● | — |
| JBL, AM/FM MP3/WMA/CD 6-Disc Changer, Audio Auxiliary Input Jack, Bluetooth Capability, Steering Wheel Audio Controls | — | — | — | — | — | ● | ● | — | ● |
| 10-Speakers | — | — | — | — | — | ● | ● | — | — |
| 12-Speakers | — | — | — | — | — | — | — | — | ● |
| Air Conditioning w/Dual Zone Control, Cabin Air Filter | ● | ● | ● | ● | ● | — | — | ● | — |
| Automatic Air Conditioning w/Dual Zone Control, Cabin Air Filter | — | — | — | — | — | ● | ● | — | ● |
| Rear Seat Heat Ducts | — | — | ● | ● | ● | ● | ● | ● | ● |
| Full Fabric Seat Material | ● | — | — | — | — | — | — | — | — |
| Premium Cloth Seat Material | — | ● | ● | ● | ● | — | — | ● | — |
| Leather Seat Surfaces | — | — | — | — | — | ● | ● | — | ● |
| 40/20/40 Split Front Bench Seat | ● | ● | ● | ● | ● | — | — | — | — |
| Driver & Front Passenger Bucket Seats | — | — | — | — | — | ● | ● | ● | ● |
| Driver & Front Passenger Seats Recline, Headrest-Vertical Adjustment | ● | ● | ● | ● | ● | — | — | ● | — |
| Driver Seat Cushion-Height & Angle Adjustment | — | — | ● | ● | ● | — | — | ● | — |
| Driver Seat Foldable Armrest | ● | ● | ● | ● | ● | — | — | ● | — |
| Power 8-Way Driver Seat, Power Lumbar Support | — | — | — | — | — | — | — | ● | — |
| Power 10-Way Heated Driver Seat & Power 4-Way Heated Front Passenger Seat, Power Lumbar Support | — | — | — | — | — | ● | ● | — | ● |
| Driver Seat Memory System w/Linked Mirrors | — | — | — | — | — | — | — | — | ● |
| 60/40 Split Rear Bench Seat w/Fold-Up Seat Cushions | — | — | ● | ● | ● | ● | ● | — | — |
| 60/40 Split Rear Bench Seat w/Slide, Recline, Fold-Down Centre Armrest, Fold-Down Seat Back | — | — | — | — | — | — | — | ● | ● |
| Voltmeter, Water Temperature Gauge, Automatic Transmission Oil Temperature Gauge, Dual Trip Odometer | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Tachometer | — | ● | ● | ● | ● | ● | ● | ● | ● |
| Outside Temperature Gauge | — | ● | ● | ● | ● | ● | ● | ● | ● |
| Optitron Gauges, Multi-Information Display | — | — | — | — | — | ● | ● | — | ● |
| Power Door Locks | — | ● | ● | ● | ● | ● | ● | ● | ● |
| Front Power Windows w/Driver Side Auto Down | — | ● | — | — | — | — | — | — | — |
| Power Windows w/Driver Side Auto Down | — | — | ● | ● | ● | ● | ● | ● | ● |
| Fixed Rear Window | ● | — | ● | ● | ● | — | — | — | — |
| Sliding Rear Window | — | ● | — | — | — | ● | ● | — | — |
| Power Vertical Sliding Rear Window | — | — | — | — | — | — | — | ● | ● |
| Dual Vanity Mirrors | — | — | ● | ● | ● | — | — | ● | — |
| Dual Illuminated Vanity Mirrors, Electrochromic Rear View Mirror w/Digital Compass | — | — | — | — | — | ● | ● | — | ● |
| Fabric Door Trim | — | — | ● | ● | ● | — | — | ● | — |

20

| | REGULAR CAB | | | DOUBLE CAB | | | | CREWMAX | |
|---|-------------|----------|-------|------------|-------|-------|---------|-----------|-----------|
| | DLX LONG | SRS LONG | STD | SRS STD | LONG | STD | LTD STD | SRS SHORT | LTD SHORT |
| INTERIOR (cont'd) | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |
| Simulated Leather Door Trim | — | — | — | — | — | ● | ● | — | ● |
| Leather-Wrapped Steering Wheel & Shift Knob | — | — | — | — | — | ● | ● | — | ● |
| Fabric Headliner | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 4-Spoke Tilt Steering Wheel | ● | ● | ● | ● | ● | — | — | — | — |
| 4-Spoke Tilt, Telescopic Steering Wheel | — | — | — | — | — | ● | ● | ● | — |
| Power Tilt & Telescopic Steering Wheel | — | — | — | — | — | — | — | — | ● |
| Vinyl Floor, All-Season Floor Mats | ● | — | — | — | — | — | — | — | — |
| Carpeting, Carpet Floor Mats | — | ● | ● | ● | ● | ● | ● | ● | ● |
| CONVENIENCE | | | | | | | | | |
| Cruise Control | — | ● | ● | ● | ● | ● | ● | ● | ● |
| Digital Clock | — | ● | ● | ● | ● | ● | ● | ● | ● |
| Lighting Package | — | — | ● | ● | ● | ● | ● | ● | ● |
| Door Courtesy Lamps, Glove Box Lamp | — | — | ● | ● | ● | ● | ● | ● | ● |
| Map Lamps | — | — | ● | ● | ● | ● | ● | ● | ● |
| Front Console Storage Box w/Lid, Overhead Console Box, Driver & Front Passenger Seat Back Pockets | — | — | — | — | — | ● | ● | ● | ● |
| Retained Accessory Power | — | — | ● | ● | ● | ● | ● | ● | ● |
| Accessory Power Outlets | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Integrated Garage Door Opener | — | — | — | — | — | ● | ● | — | ● |
| Overhead Sunglass Storage | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Illuminated Entry | — | — | ● | ● | ● | ● | ● | ● | ● |
| Front Cupholders | ● | ● | — | — | — | — | — | — | — |
| Front & Rear Cupholders | — | — | ● | ● | ● | ● | ● | ● | ● |
| Keyless Entry | — | ● | ● | ● | ● | ● | ● | ● | ● |
| Glove Box Lock | ● | ● | ● | ● | ● | ● | ● | ● | ● |

● = Standard — = Not Available

2008 TUNDRA 4X4 FEATURES

| | REGULAR CAB | | | DOUBLE CAB | | | | CREWMAX | |
|---|-------------|----------|-------|------------|-------|-------|---------|-----------|-----------|
| | DLX LONG | SRS LONG | STD | SRS STD | LONG | STD | LTD STD | SRS SHORT | LTD SHORT |
| SAFETY | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |
| Dual-Stage Driver & Passenger Airbag Supplemental Restraint System (SRS)* | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Front Passenger Airbag Off Switch | ● | ● | — | — | — | — | — | — | — |
| Front Passenger Airbag Occupancy Classification Indicator | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Front Seat-Mounted Side Airbags (SRS)* | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Roll-Sensing Front Head/Side Curtain Airbags (SRS)* | ● | ● | — | — | — | — | — | — | — |
| Roll-Sensing Front & Rear Head/Side Curtain Airbags (SRS)* | — | — | ● | ● | ● | ● | ● | ● | ● |
| All-Position 3-Point Lap & Shoulder Belts | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Adjustable "B" Pillar Shoulder Belt Anchors | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Front Tow Hook | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Vehicle Anti-Theft System | — | — | — | — | — | ● | ● | — | ● |
| Engine Immobilizer | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Clearance & Backup Sensor | — | — | — | — | — | ● | ● | — | ● |
| Automatic Transmission Oil Temperature, Low Fuel, Low Washer Fluid & Door Ajar Warning Indicators | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Tire Pressure Monitoring System | ● | ● | ● | ● | ● | ● | ● | ● | ● |

● = Standard — = Not Available

* Airbag Notice: The 2008 Tundra features a driver & front passenger airbag Supplemental Restraint System (SRS) which activates only in a full frontal collision of sufficient magnitude to inflate the bags. In moderate frontal collisions, the airbags may not inflate, in a rear or side collision the airbags are designed not to inflate, so the primary protection is provided by the lap and shoulder belt system. The 2008 Tundra features a front seat-mounted side airbag Supplemental Restraint System (SRS) and a roll-sensing front & rear head/side curtain airbag Supplemental Restraint System (SRS) which activate only in a side-impact collision of sufficient magnitude to inflate the bags. Roll-sensing airbags are designed to deploy at severe tilt degree roll or lateral G-force. *Seatbelts must be worn at all times by all occupants.*

| | REGULAR CAB | | | DOUBLE CAB | | | | CREWMAX | |
|--|-------------|----------|-------|------------|-------|-------|---------|-----------|-----------|
| | DLX LONG | SRS LONG | STD | SRS STD | LONG | STD | LTD STD | SRS SHORT | LTD SHORT |
| EXTERIOR | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |
| 18" Styled Steel Wheels | ● | — | ● | ● | ● | — | — | — | — |
| 18" Aluminum Alloy Wheels, Wheel Locks | — | ● | — | — | — | — | — | ● | — |
| 20" Aluminum Alloy Wheels, Wheel Locks | — | — | — | — | — | ● | ● | — | ● |
| Long Bed (8.1 feet) | ● | ● | — | — | ● | — | — | — | — |
| Standard Bed (6.5 feet) | — | — | ● | ● | — | ● | ● | — | — |
| Short Bed (5.5 feet) | — | — | — | — | — | — | — | ● | ● |
| High Solar Energy Absorbing Window Glass | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Privacy Glass | — | ● | — | — | — | ● | ● | ● | ● |
| Rear Window Privacy Glass | — | — | — | — | — | ● | ● | ● | ● |
| Electric Rear Window Defroster | — | — | — | — | — | — | — | ● | ● |
| Foldable Mirrors | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Dual-Heated Power Remote-Control Mirrors | ● | — | ● | ● | — | ● | ● | — | ● |
| Power Folding Mirrors | — | — | — | — | — | ● | ● | — | ● |
| Electrochromic Side View Mirrors w/Integrated Signal Lamps | — | — | — | — | — | ● | ● | — | ● |
| Extendable Power Heated Mirrors w/Turn Signals | — | ● | — | — | ● | — | — | ● | — |
| Front & Rear Splash Guards | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 4 Pin/7 Pin Trailer Wire Harness, Electronic Trailer Brake Control Connector, Class IV Weight Distribution Trailer Hitch | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Black Door & Tailgate Handles | ● | ● | ● | ● | ● | — | — | ● | — |
| Black Steel Rear Bumper, Black Grille | ● | — | — | — | — | — | — | — | — |
| Chrome Grille, Chrome Rear Bumper | — | ● | ● | ● | ● | ● | ● | ● | ● |
| Coloured Front Bumper | — | — | ● | ● | ● | ● | ● | ● | ● |
| Coloured Resin & Chrome Front Bumper | ● | ● | — | — | — | — | — | — | — |
| Chrome Mirrors & Chrome Finished Door Handles | — | — | — | — | — | ● | ● | — | ● |
| Power Tilt/Slide Moonroof w/Sunshade | — | — | — | — | — | — | — | — | ● |
| 2-Speed Wipers | ● | — | — | — | — | — | — | — | — |
| Variable Intermittent Wipers | — | ● | ● | ● | ● | ● | ● | ● | ● |
| Windshield Wiper De-Icer | — | — | ● | ● | ● | ● | ● | ● | ● |
| Light Control System | — | — | — | — | — | ● | ● | — | ● |
| Automatic Headlamp Cancel System | ● | ● | ● | ● | ● | — | — | ● | — |
| Fog Lamps | — | — | — | — | — | ● | ● | — | ● |
| Stake Pocket, Bed Rail Caps | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Easy Lift Tailgate, Cargo Bed Tie-Downs & Removable Locking Tailgate | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| Bed Rail System, Tie-Down Cleats (set of 4) | — | ● | — | — | — | ● | ● | ● | ● |
| SRS Badges | — | ● | ● | ● | ● | — | — | ● | — |
| LTD Badges | — | — | — | — | — | ● | ● | — | ● |

21

2008 TUNDRA 4X4 FEATURES

| | REGULAR CAB | | | DOUBLE CAB | | | | CREWMAX | |
|-----------------|-------------|----------|-------|------------|-------|-------|---------|-----------|-----------|
| | DLX LONG | SRS LONG | STD | SRS STD | LONG | STD | LTD STD | SRS SHORT | LTD SHORT |
| PACKAGES | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |

Regular Cab B Package:

Bed Rail System, Tie-Down Cleats (set of 4), Power Door Locks, Power Windows w/Driver Side Auto Down, Keyless Entry, Sliding Rear Window, Privacy Glass, Cruise Control, Premium Cloth Seats, Front Passenger Seat Fold-Down Seat Back, Coloured Resin & Chrome Front Bumper, Chrome Grille, Chrome Rear Bumper, Variable Intermittent Wipers, Carpeting, 18" Aluminum Alloy Wheels w/Wheel Locks, P275/65R18 Tires, Digital Clock, Automatic Transmission Oil Temperature Gauge, Outside Temperature Gauge, SR5 Badges

○ – – – – – – – –

Double Cab B Package:

Front Bucket Seats, Power 8-Way Adjustable Driver Seat, Console Mounted Shift Lever, Telescopic Steering Wheel, Privacy Glass, Rear Window Privacy Glass, Sequential Multi-Mode Gate-Type Shifter, Overhead Console Box, Front Seat Back Pockets, Sliding Rear Window, Front Console Box w/Lid, 18" Aluminum Alloy Wheels w/Wheel Locks, P275/65R18 Tires, Accessory Meter, Under Rear Seat Storage Trays

– – – ○ ○ ○ – – – – –

Double Cab TRD Off-Road Package:

Double Cab B Package above, plus Front & Rear Bilstein Shock Absorbers, Bed Rail System, Tie-Down Cleats (set of 4), Clearance & Backup Sensor, In-Dash 6-Disc CD Changer, Integrated Garage Door Opener, Electrochromic Rear View Mirror w/Digital Compass, Fog Lamps, Map Lamps, Vehicle Anti-Theft System, Raised White Letter Tires, Unique Alloy Wheels, TRD Decals

– – – ○ ○ – – – – – –

Double Cab C Package:

Double Cab B Package above, plus Bed Rail System, Tie-Down Cleats (set of 4), In-Dash 6-Disc CD Changer, Integrated Garage Door Opener, Clearance & Backup Sensor, Electrochromic Rear View Mirror w/Digital Compass, Vehicle Anti-Theft System, Map Lamps

– – – – – ○ – – – – –

CREWMAX TRD Off-Road Package:

Front & Rear Bilstein Shock Absorbers, P275/65R18 White Raised Letter Tires, Unique Alloy Wheels, In-Dash 6-Disc CD Changer, Integrated Garage Door Opener, Clearance & Backup Sensor, Power Tilt/Slide Moonroof w/Sunshade, Electrochromic Rear View Mirror w/Digital Compass, Vehicle Anti-Theft System, Fog Lamps, Map Lamps, TRD Decals

– – – – – – – – ○ –

Double Cab LTD & CREWMAX LTD C Package:

DVD-Based Navigation System w/Backup Camera, 7.0" LCD Display, 4-Disc CD Changer (Delete 6-Disc CD Changer)

– – – – – ○ ○ – – ○

● = Standard ○ = Optional – = Not Available

2008 TUNDRA 4X4 SPECIFICATIONS

| | REGULAR CAB | | | DOUBLE CAB | | | | CREWMAX | |
|-------------------|-------------|----------|-------|------------|-------|-------|---------|-----------|-----------|
| | DLX LONG | SRS LONG | STD | SRS STD | LONG | STD | LTD STD | SRS SHORT | LTD SHORT |
| MECHANICAL | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |

Engine

4.7 Litre, V8, DOHC, 32-Valve, Variable Valve Timing w/Intelligence (VVT-i), Sequential Multiport Electronic Fuel Injection, Engine Oil Cooler

● – ● – – ● – – –

5.7 Litre, V8, DOHC, 32-Valve, Dual Variable Valve Timing w/Intelligence (VVT-i), Sequential Multiport Electronic Fuel Injection, Engine Oil Cooler

– ● – ● ● – ● ● ●

Compression Ratio

10.0:1

● – ● – – ● – – –

10.2:1

– ● – ● ● – ● ● ●

Horsepower

276 hp (206 kW) @ 5,400 rpm

● – ● – – ● – – –

381 hp (284 kW) @ 5,600 rpm

– ● – ● ● – ● ● ●

Torque

313 lb.ft. (424 N.m.) @ 3,400 rpm

● – ● – – ● – – –

401 lb.ft. (544 N.m.) @ 3,600 rpm

– ● – ● ● – ● ● ●

Suspension

Front: Double-Wishbone, Gas-Filled Shock Absorbers, Coil Springs, Stabilizer Bar

● ● ● ● ● ● ● ● ●

Rear: Heavy-Duty Multi-Leaf Springs, Bias Mounted Gas-Filled Shock Absorbers

● ● ● ● ● ● ● ● ●

Front/Rear: Bilstein Shock Absorbers

– – ○ ○ – – – ○ –

Drivetrain

Automatic Limited Slip Rear Differential, Vehicle Stability Control (VSC) w/Active Traction Control (A-TRAC), One-Touch 4WD, Engine, Transfer Case Protector Plates, Engine Undercover

● ● ● ● ● ● ● ● ●

Transmission

5-Speed, Automatic, Overdrive, Super Electronically Controlled Transmission (Super ECT)

● – ● – – ● – – –

6-Speed, Automatic, Overdrive, Super Electronically Controlled Transmission (Super ECT)

– ● – ● ● – ● ● ●

Sequential Multi-Mode Shifter, Lock-Up Torque Converter

● ● ● ● ● ● ● ● ●

Transmission Cooler, Automatic Transmission Oil Warmer

● ● ● ● ● ● ● ● ●

Column Shifter

● ● ● ● ● – – – –

Console Mounted Gate-Type Shifter

– – ○ ○ – ● ● ● ●

Brakes

Power-Assisted, Front & Rear Ventilated Discs, Antilock Braking System (ABS) w/Electronic Brake-force Distribution (EBD), Brake Assist (BA)

● ● ● ● ● ● ● ● ●

Steering

Rack & Pinion w/Variable Power Assist

● ● ● ● ● ● ● ● ●

Tires

P255/70R18, All-Season Radials, Full-Size Spare w/Steel Wheel

● – ● ● – – – – –

P275/65R18, All-Season Radials, Full-Size Spare w/Steel Wheel

○ ● – – ● – – ● –

P275/55R20, All-Season Radials, Full-Size Spare w/Steel Wheel

– – – – – ● ● – ●

P275/65R18, Raised White Letter Tires, Full-Size Spare w/Steel Wheel

– – ○ ○ – – – ○ –

2008 TUNDRA 4X4 SPECIFICATIONS

| | REGULAR CAB | | | DOUBLE CAB | | | | CREWMAX | |
|-------------------|-------------|----------|-------|------------|-------|-------|---------|-----------|-----------|
| | DLX LONG | SRS LONG | STD | SRS STD | LONG | STD | LTD STD | SRS SHORT | LTD SHORT |
| DIMENSIONS | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |

| | | |
|--|---------------------------|-------------------|
| Length | 5810 (228.7) | ● ● ● ● – ● ● ● ● |
| | 6290 (247.6) | – – – – ● – – – – |
| Width | 2030 (79.9) | ● ● ● ● ● ● ● ● ● |
| Height (Unloaded) | 1935 (76.1) | ● ● – – ● – – – – |
| | 1940 (76.3) | – – ● ● – ● ● ● ● |
| Cargo Bed Length | 2480 (97.6) | ● ● – – ● – – – – |
| | 2000 (78.7) | – – ● ● – ● ● – – |
| | 1695 (66.7) | – – – – – – – ● ● |
| Cargo Bed Width (Between Wheel Wells) | 1270 (50.0) | ● ● ● ● ● ● ● ● ● |
| Cargo Bed Depth | 564 (22.2) | ● ● ● ● ● ● ● ● ● |
| Wheelbase | 3700 (145.6) | ● ● ● ● – ● ● ● ● |
| | 4180 (164.5) | – – – – ● – – – – |
| Tread | Front: 1725 (67.9) | ● ● ● ● ● ● ● ● ● |
| | Rear: 1725 (67.9) | ● ● ● ● ● ● ● ● ● |
| Seating Capacity | 3 | ● ● – – – – – – – |
| | 5 | – – – – – ● ● ● ● |
| | 6 | – – ● ● ● – – – – |
| Headroom | Front: 1021 (40.2) | ● ● ● ● ● ● ● ● ● |
| | Rear: 983 (38.7) | – – ● ● ● ● ● ● ● |
| Legroom | Front: 1079 (42.5) | ● ● ● ● ● ● ● ● ● |
| | Rear: 882 (34.7) | – – ● ● ● ● ● – – |
| | Rear: 1131 (44.5) | – – – – – – – ● ● |
| Shoulder Room | Front: 1694 (66.7) | ● ● – – – – – – – |
| | Front: 1692 (66.6) | – – ● ● ● ● ● ● ● |
| | Rear: 1668 (65.7) | – – ● ● ● ● ● – – |
| | Rear: 1662 (65.4) | – – – – – – – ● ● |
| Ground Clearance | 275 (10.8) | ● – ● – – – – – – |
| | 270 (10.6) | – ● – ● ● ● – ● – |
| | 265 (10.4) | – – – – – – – ● ● |
| Approach Angle (Degrees) | 28 | ● ● – – – – – – ● |
| | 29 | – – ● ● – ● ● ● – |
| Departure Angle (Degrees) | 21 | ● ● – – – – – – – |
| | 20 | – – ● ● ● ● ● ● ● |

● = Standard – = Not Available

** These estimates are based on the Government of Canada's approved criteria and testing methods. The actual fuel consumption of this vehicle may vary. Refer to the Government of Canada publication *EnerGuide Fuel Consumption Guide*.

***Payload = Passengers, Equipment, Luggage and Cargo

| | REGULAR CAB | | | DOUBLE CAB | | | | CREWMAX | |
|-----------------------------|-------------|----------|-------|------------|-------|-------|---------|-----------|-----------|
| | DLX LONG | SRS LONG | STD | SRS STD | LONG | STD | LTD STD | SRS SHORT | LTD SHORT |
| GROSS VEHICLE WEIGHT | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |

| | | |
|-----------------------------|----------------|-----------------------|
| GROSS VEHICLE WEIGHT | <i>kg (lb)</i> | ● – – – – – – – – |
| | 3175 (7000) | ● – – – – – – – – |
| | 3125 (6900) | – – ● – – – ● – – – |
| | 3220 (7100) | – – – – ● – – – ● – – |
| | 3265 (7200) | – ● – – – ● – – ● ● |

| | | |
|--------------------|----------------|---------------------|
| CURB WEIGHT | <i>kg (lb)</i> | ● – – – – – – – – |
| | 2384 (5255) | – ● – – – – – – – |
| | 2419 (5335) | – ● – – – – – – – |
| | 2513 (5540) | – – ● – – – ● – – – |
| | 2535 (5590) | – – – – ● – – – – – |
| | 2596 (5725) | – – – – – ● – – – – |
| | 2542 (5605) | – – – – – – – ● – – |
| | 2605 (5745) | – – – – – – – ● – |
| | 2612 (5760) | – – – – – – – – ● |

| | | |
|------------------------|----------------|-----------------------|
| TOWING CAPACITY | <i>kg (lb)</i> | ● – – – – – – – – |
| | 3670 (8100) | – ● – – – – – – – |
| | 4760 (10500) | – ● – – – – – – – |
| | 3535 (7800) | – – ● – – – ● – – – |
| | 4670 (10300) | – – – – ● – – – ● – – |
| | 4625 (10200) | – – – – – ● – – – – |
| | 4580 (10100) | – – – – – – – – ● ● |

| | | |
|-------------------|----------------|---------------------|
| PAYLOAD*** | <i>kg (lb)</i> | ● – – – – – – – – |
| | 765 (1690) | – ● – – – – – – – |
| | 830 (1835) | – ● – – – – – – – |
| | 565 (1255) | – – ● – – – – – – |
| | 630 (1395) | – – – – ● – – – – – |
| | 615 (1365) | – – – – – ● – – – – |
| | 580 (1285) | – – – – – – ● – – – |
| | 645 (1430) | – – – – – – ● – – |
| | 600 (1325) | – – – – – – – ● – |
| | 590 (1310) | – – – – – – – – ● |

| | | |
|-----------------------|----------------|---------------------|
| TURNING CIRCLE | <i>m (ft.)</i> | ● ● ● ● – ● ● ● ● |
| | 13.42 (44.0) | – – – – – ● – – – – |
| | 14.92 (49.0) | – – – – – ● – – – – |

| | | |
|----------------------|---------------------|-------------------|
| FUEL CAPACITY | <i>litres (gal)</i> | ● ● ● ● ● ● ● ● ● |
| | 100 (22) | – – – – – – – – – |

| | | | |
|----------------------------------|-----------------|------------|-------------------|
| FUEL CONSUMPTION RATING** | <i>L/100 km</i> | <i>mpg</i> | ● – ● – – ● – – – |
| City/Highway/Combined | 16.0/12.3/14.3 | 18/23/20 | – – – – – ● – – – |
| | 16.9/11.8/14.6 | 17/24/19 | – ● – ● ● – ● ● ● |

2008 TUNDRA 4X2 FEATURES

| | REGULAR CAB | | DOUBLE CAB | | CREWMAX | |
|---|-------------|----------|------------|----------|-----------|-----------|
| | DLX LONG | SRS LONG | SRS STD | SRS LONG | SRS SHORT | LTD SHORT |
| INTERIOR | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |
| AM/FM CD/MP3/WMA Player, 4-Speakers, Audio Auxiliary Input Jack | ● | ● | – | – | – | – |
| AM/FM CD/MP3/WMA Player, 6-Speakers, Audio Auxiliary Input Jack | – | – | ● | ● | ● | – |
| JBL, AM, FM MP3/WMA/CD Changer, 12-Speakers, Audio Auxiliary Input Jack, Bluetooth Capability, Steering Wheel Audio Controls, Antenna Pole | – | – | – | – | – | ● |
| Air Conditioning w/Dual Zone Control, Cabin Air Filter | ● | ● | ● | ● | ● | – |
| Automatic Air Conditioning w/Dual Zone Control, Cabin Air Filter | – | – | – | – | – | ● |
| Rear Seat Heater Ducts | – | – | ● | ● | ● | ● |
| Driver & Front Passenger Bucket Seats | – | – | – | ● | ● | ● |
| 40/20/40 Split Front Bench Seat | ● | ● | ● | – | – | – |
| Full Fabric Seat Material | ● | – | – | – | – | – |
| Premium Cloth Seat Material | – | ● | ● | ● | ● | – |
| Leather Seat Surfaces | – | – | – | – | – | ● |
| Power 8-Way Driver Seat, Power Lumbar Support | – | – | – | ● | ● | – |
| Power Heated 10-Way Driver Seat & Power Heated 4-Way Front Passenger Seat, Power Lumbar Support | – | – | – | – | – | ● |
| Driver Seat Memory System w/Linked Mirrors | – | – | – | – | – | ● |
| Driver & Front Passenger Seats Recline, Headrest-Vertical Adjustment | ● | ● | ● | ● | ● | – |
| Driver Seat Cushion-Height & Angle Adjustment | – | – | ● | ● | ● | – |
| Driver Seat Foldable Armrest | ● | ● | ● | ● | ● | ● |
| 60/40 Split Rear Bench Seat w/Fold-Up Rear Seat Cushions | – | – | ● | ● | – | – |
| 60/40 Split Rear Bench Seat w/Slide, Recline, Fold-Down Seat Back & Centre Armrest | – | – | – | – | ● | ● |
| Voltmeter, Water Temperature Gauge, Automatic Transmission Oil Temperature Gauge, Dual Trip Odometer | ● | ● | ● | ● | ● | – |
| Tachometer | ● | ● | ● | ● | ● | ● |
| Optitron Gauges, Multi-Information Display, Tachometer, Voltmeter, Water Temperature Gauge, Automatic Transmission Oil Temperature Gauge, Outside Temperature Gauge, Dual Trip Odometer | – | – | – | – | – | ● |
| Power Door Locks | – | ● | ● | ● | ● | ● |
| Front Power Windows w/Driver Side Auto Down | – | ● | – | – | – | – |
| Power Windows w/Driver Side Auto Down | – | – | ● | ● | ● | ● |
| Accessory Meter | – | – | – | ● | ● | – |
| Outside Temperature Gauge | – | ● | ● | ● | ● | – |
| Fixed Rear Window | ● | – | ● | – | – | – |
| Sliding Rear Window | – | ● | – | ● | – | – |
| Power Vertical Sliding Rear Window | – | – | – | – | ● | ● |

| | REGULAR CAB | | DOUBLE CAB | | CREWMAX | |
|---|-------------|----------|------------|----------|-----------|-----------|
| | DLX LONG | SRS LONG | SRS STD | SRS LONG | SRS SHORT | LTD SHORT |
| INTERIOR (cont'd) | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |
| Dual Vanity Mirrors | – | – | ● | ● | ● | – |
| Dual Illuminated Vanity Mirrors, Electrochromic Rear View Mirror w/Digital Compass | – | – | – | – | – | ● |
| 4-Spoke Tilt Steering Wheel | ● | ● | ● | – | – | – |
| 4-Spoke Tilt, Telescopic Steering Wheel | – | – | – | ● | ● | – |
| Power Tilt, Telescopic Steering Wheel | – | – | – | – | – | ● |
| Leather-Wrapped Steering Wheel & Shift Knob | – | – | – | – | – | ● |
| Fabric Door Trim | – | – | ● | ● | ● | – |
| Simulated Leather Door Trim | – | – | – | – | – | ● |
| Fabric Headliner | ● | ● | ● | ● | ● | ● |
| Vinyl Floor, All-Season Floor Mats | ● | – | – | – | – | – |
| Carpeting, Carpet Floor Mats | – | ● | ● | ● | ● | ● |
| CONVENIENCE | | | | | | |
| Cruise Control | – | ● | ● | ● | ● | ● |
| Digital Clock | – | ● | ● | ● | ● | ● |
| Lighting Package | – | – | ● | ● | ● | ● |
| Door Courtesy Lamps, Map Lamps, Glove Box Lamp | – | – | ● | ● | ● | ● |
| Front Console Storage Box w/Lid, Overhead Console Box, Driver & Front Passenger Seat Back Pockets | – | – | – | ● | ● | ● |
| Under Rear Seat Storage Trays | – | – | – | ● | – | – |
| Overhead Sunglass Storage | ● | ● | ● | ● | ● | ● |
| Integrated Garage Door Opener | – | – | – | – | – | ● |
| Front Cupholders | ● | ● | – | – | – | – |
| Front & Rear Cupholders | – | – | ● | ● | ● | ● |
| Retained Accessory Power | – | – | ● | ● | ● | ● |
| Accessory Power Outlets | ● | ● | ● | ● | ● | ● |
| Illuminated Entry | – | – | ● | ● | ● | ● |
| Keyless Entry | – | ● | ● | ● | ● | ● |
| Glove Box Lock | ● | ● | ● | ● | ● | ● |

● = Standard – = Not Available

2008 TUNDRA 4X2 FEATURES

| | REGULAR CAB | | DOUBLE CAB | | CREWMAX | |
|---|-------------|----------|------------|----------|-----------|-----------|
| | DLX LONG | SRS LONG | SRS STD | SRS LONG | SRS SHORT | LTD SHORT |
| SAFETY | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |
| Dual-Stage Driver & Passenger Airbag Supplemental Restraint System (SRS)* | ● | ● | ● | ● | ● | ● |
| Front Passenger Airbag Off Switch | ● | ● | – | – | – | – |
| Front Passenger Airbag Occupancy Classification Indicator | ● | ● | ● | ● | ● | ● |
| Front Seat-Mounted Side Airbags (SRS)* | ● | ● | ● | ● | ● | ● |
| Roll-Sensing Front Head/Side Curtain Airbags (SRS)* | ● | ● | – | – | – | – |
| Roll-Sensing Front & Rear Head/Side Curtain Airbags (SRS)* | – | – | ● | ● | ● | ● |
| Head/Side Curtain Airbags Off Switch | ● | ● | ● | ● | ● | ● |
| All-Position 3-Point Lap & Shoulder Belts | ● | ● | ● | ● | ● | ● |
| Adjustable "B" Pillar Shoulder Belt Anchors | ● | ● | ● | ● | ● | ● |
| Vehicle Anti-Theft System | – | – | – | – | – | ● |
| Engine Immobilizer | ● | ● | ● | ● | ● | ● |
| Front Tow Hook | ● | ● | ● | ● | ● | ● |
| Clearance & Backup Sensor | – | – | – | – | – | ● |
| Automatic Transmission Oil Temperature, Low Fuel, Low Washer Fluid & Door Ajar Warning Indicators | ● | ● | ● | ● | ● | ● |
| Tire Pressure Monitoring System | ● | ● | ● | ● | ● | ● |

● = Standard – = Not Available

* Airbag Notice: The 2008 Tundra features a driver & front passenger airbag Supplemental Restraint System (SRS) which activates only in a full frontal collision of sufficient magnitude to inflate the bags. In moderate frontal collisions, the airbags may not inflate, in a rear or side collision the airbags are designed not to inflate, so the primary protection is provided by the lap and shoulder belt system. The 2008 Tundra features a front seat-mounted side airbag Supplemental Restraint System (SRS) and a roll-sensing front & rear head/side curtain airbag Supplemental Restraint System (SRS) which activate only in a side-impact collision of sufficient magnitude to inflate the bags. Roll-sensing airbags are designed to deploy at severe tilt degree roll or lateral G-force. *Seatbelts must be worn at all times by all occupants.*

Toyota Canada Inc. Every effort has been made to ensure the specifications and equipment shown are accurate based on information available at time of printing. In some cases, certain changes in standard equipment, options or product delays may occur which would not be reflected in this brochure. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota.ca – or your Toyota Dealer is your best source for up-to-date information.

| | REGULAR CAB | | DOUBLE CAB | | CREWMAX | |
|--|-------------|----------|------------|----------|-----------|-----------|
| | DLX LONG | SRS LONG | SRS STD | SRS LONG | SRS SHORT | LTD SHORT |
| EXTERIOR | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |
| 18" Styled Steel Wheels | ● | – | ● | – | – | – |
| 18" Aluminum Alloy Wheels, Wheel Locks | – | ● | – | ● | ● | – |
| 20" Aluminum Alloy Wheels, Wheel Locks | – | – | – | – | – | ● |
| Long Bed (8.1 feet) | ● | ● | – | ● | – | – |
| Standard Bed (6.5 feet) | – | – | ● | – | – | – |
| Short Bed (5.5 feet) | – | – | – | – | ● | ● |
| High Solar Energy Absorbing Window Glass | ● | ● | ● | ● | ● | ● |
| Privacy Glass | – | ● | – | ● | ● | ● |
| Rear Window Privacy Glass | – | – | – | ● | ● | ● |
| Front & Rear Splash Guards | ● | ● | ● | ● | ● | ● |
| Power Tilt/Slide Moonroof w/Sunshade | – | – | – | – | – | ● |
| Black Door & Tailgate Handles | ● | ● | ● | ● | ● | – |
| Black Steel Rear Bumper, Black Grille | ● | – | – | – | – | – |
| Chrome Grille, Chrome Rear Bumper | – | ● | ● | ● | ● | ● |
| Coloured Front Bumper | – | – | ● | ● | ● | ● |
| Coloured Resin & Chrome Front Bumper | ● | ● | – | – | – | – |
| Chrome Mirrors & Chrome Finished Door Handles | – | – | – | – | – | ● |
| 4 Pin/7 Pin Trailer Wire Harness, Electronic Trailer Brake Control Connector, Class IV Weight Distribution Trailer Hitch | ● | ● | ● | ● | ● | ● |
| Folding Mirrors | ● | – | – | – | – | – |
| Dual Heated Power Remote Folding Mirrors | ● | – | ● | – | – | – |
| Extendable Power Heated Mirrors w/Turn Signals | – | ● | – | ● | ● | – |
| Power Folding Heated Electrochromic Side View Mirrors w/Integrated Signal Lamps & Memory System | – | – | – | – | – | ● |
| 2-Speed Wipers | ● | – | – | – | – | – |
| Variable Intermittent Wipers | – | ● | ● | ● | ● | ● |
| Windshield Wiper De-Icer | – | – | ● | ● | ● | ● |
| Electric Rear Window Defroster | – | – | – | – | ● | ● |
| Light Control System | – | – | – | – | – | ● |
| Auto Headlamp Cancel System | ● | ● | ● | ● | ● | – |
| Fog Lamps | – | – | – | – | – | ● |
| Stake Pockets, Bed Rail Caps | ● | ● | ● | ● | ● | ● |
| Easy Lift Tailgate, Cargo Bed Tie-Downs & Removable Locking Tailgate | ● | ● | ● | ● | ● | ● |
| Bed Rail System | – | ● | – | – | ● | ● |
| Tie-Down Cleats (set of 4) | – | ● | – | – | ● | ● |
| SRS Badges | – | ● | ● | ● | ● | – |
| LTD Badges, Clearance & Backup Sensor | – | – | – | – | – | ● |

2008 TUNDRA 4X2 FEATURES

| | REGULAR CAB | | DOUBLE CAB | | CREWMAX | |
|-----------------|-------------|----------|------------|----------|-----------|-----------|
| | DLX LONG | SRS LONG | SRS STD | SRS LONG | SRS SHORT | LTD SHORT |
| PACKAGES | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |

Regular Cab B Package:

Bed Rail System, Tie-Down Cleats (set of 4), Power Door Locks, Power Front Windows w/Driver Side Auto Down, Keyless Entry, Sliding Rear Window, Privacy Glass, Cruise Control, Premium Cloth Seats, Variable Intermittent Wipers, Chrome Grille, Chrome Rear Bumper, Coloured Resin & Chrome Front Bumper, Carpeting, Digital Clock, 18" Aluminum Alloy Wheels w/Wheel Locks, P275/65R18 Tires, Outside Temperature Gauge, SR5 Badges

○ – – – – –

Double Cab B Package:

Front Bucket Seats, Power 8-Way Driver Seat, Telescopic Steering Wheel, Privacy Glass, Rear Window Privacy Glass, Accessory Meter, Overhead Console Box, Sequential Multi-Mode Gate-Type Shifter, Front Seat Back Pockets, Under Rear Seat Storage Trays, Sliding Rear Window, Front Console Box w/Lid, Console Mounted Shift Lever, 18" Aluminum Alloy Wheels w/Wheel Locks, P275/65R18 Tires

– – ○ – – –

Double Cab C Package:

B Package, plus Bed Rail System, Tie-Down Cleats (set of 4), Clearance & Backup Sensor, In-Dash 6-Disc CD Changer, Integrated Garage Door Opener, Electrochromic Rear View Mirror w/Digital Compass, Fog Lamps, Vehicle Anti-Theft System

– – ○ – – –

CREWMAX C Package:

Clearance & Backup Sensor, In-Dash 6-Disc CD Changer, Integrated Garage Door Opener, Electrochromic Rear View Mirror w/Digital Compass, Fog Lamps, Vehicle Anti-Theft System, Power Tilt/Slide Moonroof w/Sunshade

– – – – ○ –

CREWMAX LTD C Package:

DVD-Based Navigation System w/Backup Camera, 7" LCD Display, 4-Disc CD Changer (Delete 6-Disc CD Changer)

– – – – – ○

● = Standard ○ = Optional – = Not Available

2008 TUNDRA 4X2 SPECIFICATIONS

| | REGULAR CAB | | DOUBLE CAB | | CREWMAX | |
|-------------------|-------------|----------|------------|----------|-----------|-----------|
| | DLX LONG | SRS LONG | SRS STD | SRS LONG | SRS SHORT | LTD SHORT |
| MECHANICAL | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |

Engine

4.7 Litre, V8, DOHC, 32-Valve, Variable Valve Timing w/Intelligence (VVT-i), Sequential Multiport Electronic Fuel Injection, Engine Oil Cooler

● – ● – – –

5.7 Litre, V8, DOHC, 32-Valve, Dual Variable Valve Timing w/Intelligence (VVT-i), Sequential Multiport Electronic Fuel Injection, Engine Oil Cooler

– ● – ● ● ●

Compression Ratio

10.0:1

● – ● – – –

10.2:1

– ● – ● ● ●

Horsepower

276 hp (206 kW) @ 5,400 rpm

● – ● – – –

381 hp (284 kW) @ 5,600 rpm

– ● – ● ● ●

Torque

313 lb.ft. (424 N.m.) @ 3,400 rpm

● – ● – – –

401 lb.ft. (544 N.m.) @ 3,600 rpm

– ● – ● ● ●

Suspension

Front: Double-Wishbone, Gas-Filled Shock Absorbers, Coil Springs, Stabilizer Bar

● ● ● ● ● ●

Rear: Heavy-Duty Multi-Leaf Springs, Bias Mounted Gas-Filled Shock Absorbers

● ● ● ● ● ●

Drivetrain

Automatic Limited Slip Rear Differential, Vehicle Stability Control (VSC), Traction Control (TRAC)

● ● ● ● ● ●

Transmission

5-Speed, Automatic, Overdrive, Super Electronically Controlled Transmission (Super ECT), Sequential Multi-Mode Shifter, Lock-Up Torque Converter

● – ● – – –

6-Speed, Automatic, Overdrive, Super Electronically Controlled Transmission (Super ECT), Sequential Multi-Mode Shifter, Lock-Up Torque Converter, Transmission Cooler, Automatic Transmission Oil Warmer

– ● – ● ● ●

Column Shifter

● ● ● – – –

Console Mounted Gate-Type Shifter

– – ○ ● ● ●

Brakes

Power-Assisted, Front & Rear Ventilated Discs, Antilock Braking System (ABS), Electronic Brake-force Distribution (EBD) & Brake Assist (BA)

● ● ● ● ● ●

Steering

Rack & Pinion w/Variable Power Assist

● ● ● ● ● ●

Tires

P255/70R18, All-Season Radials, Full-Size Spare w/Steel Wheel

● – ● – – –

P275/65R18, All-Season Radials, Full-Size Spare w/Steel Wheel

○ ● ○ ● ● –

P275/55R20, All-Season Radials, Full-Size Spare w/Steel Wheel

– – – – – ●

2008 TUNDRA 4X2 SPECIFICATIONS

| | | REGULAR CAB | | DOUBLE CAB | | CREWMAX | |
|-------------------|-----------------|-------------|----------|------------|----------|-----------|-----------|
| | | DLX LONG | SRS LONG | SRS STD | SRS LONG | SRS SHORT | LTD SHORT |
| DIMENSIONS | <i>mm (in.)</i> | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |

| | | | |
|--|--------------------------|--------------|-------------|
| Length | | 5810 (228.7) | ● ● ● – ● ● |
| | | 6290 (247.6) | – – – ● – – |
| Width | | 2030 (79.9) | ● ● ● ● ● ● |
| | Height (Unloaded) | 1925 (75.7) | ● ● – ● ● ● |
| 1930 (75.9) | | – – ● – – – | |
| Cargo Bed Length | 2480 (97.6) | ● ● – ● – – | |
| | 2000 (78.7) | – – ● – – – | |
| | 1695 (66.7) | – – – – ● ● | |
| Cargo Bed Width (Between Wheel Wells) | 1270 (50.0) | ● ● ● ● ● ● | |
| Cargo Bed Depth | 564 (22.2) | ● ● ● ● ● ● | |
| Wheelbase | 3700 (145.6) | ● ● ● – ● ● | |
| | 4180 (164.5) | – – – ● – – | |
| Tread | Front: 1725 (67.9) | ● ● ● ● ● ● | |
| | Rear: 1725 (67.9) | ● ● ● ● ● ● | |
| Seating Capacity | 3 | ● ● – – – – | |
| | 5 | – – – ● ● ● | |
| | 6 | – – ● – – – | |
| Headroom | Front: 1021 (40.2) | ● ● ● ● ● ● | |
| | Rear: 983 (38.7) | – – ● ● ● ● | |
| Legroom | Front: 1079 (42.5) | ● ● ● ● ● ● | |
| | Rear: 882 (34.7) | – – ● ● – – | |
| | Rear: 1131 (44.5) | – – – – ● ● | |
| Shoulder Room | Front: 1694 (66.7) | ● ● – – – – | |
| | Front: 1692 (66.6) | – – ● ● ● ● | |
| | Rear: 1668 (65.7) | – – ● ● – – | |
| Rear: 1662 (65.4) | – – – – ● ● | | |
| Ground Clearance | 265 (10.4) | ● ● ● – – – | |
| | 260 (10.2) | – – – ● ● – | |
| | 255 (10.0) | – – – – – ● | |
| Approach Angle (Degrees) | 27 | ● ● – – – – | |
| | 28 | – – ● ● ● ● | |
| Departure Angle (Degrees) | 21 | ● ● – – – – | |
| | 20 | – – ● ● ● ● | |

● = Standard – = Not Available

** These estimates are based on the Government of Canada's approved criteria and testing methods. The actual fuel consumption of this vehicle may vary. Refer to the Government of Canada publication *EnerGuide Fuel Consumption Guide*.

*** Payload = Passengers, Equipment, Luggage and Cargo

| | | REGULAR CAB | | DOUBLE CAB | | CREWMAX | |
|-----------------------------|----------------|-------------|----------|------------|----------|-----------|-----------|
| | | DLX LONG | SRS LONG | SRS STD | SRS LONG | SRS SHORT | LTD SHORT |
| GROSS VEHICLE WEIGHT | <i>kg (lb)</i> | 4.7 L | 5.7 L | 4.7 L | 5.7 L | 5.7 L | 5.7 L |

3080 (6800) ● – – – – –
 3035 (6700) – – ● – – –
 3175 (7000) – ● – ● ● ●

CURB WEIGHT

kg (lb)
 2263 (4990) ● – – – – –
 2300 (5070) – ● – – – –
 2375 (5235) – – ● – – –
 2470 (5445) – – – ● – –
 2476 (5460) – – – – ● –
 2485 (5480) – – – – – ●

TOWING CAPACITY

kg (lb)
 3810 (8400) ● – – – – –
 4895 (10800) – ● – – – –
 3670 (8100) – – ● – – –
 4760 (10500) – – – ● – –
 4715 (10400) – – – – ● ●

PAYLOAD***

kg (lb)
 795 (1755) ● – – – – –
 860 (1900) – ● – – – –
 605 (1340) – – ● – – –
 655 (1455) – – – ● – –
 630 (1395) – – – – ● –
 640 (1420) – – – – – ●

TURNING CIRCLE

m (ft.)
 13.42 (44.0) ● ● ● – ● ●
 14.92 (49.0) – – – ● – –

FUEL CAPACITY

litres (gal)
 100 (22.0) ● ● ● ● ● ●

FUEL CONSUMPTION RATING**

L/100 km mpg
 City/Highway/Combined
 15.5/11.7/13.8 18/24/20 ● – ● – – –
 15.3/10.9/13.3 18/26/21 – ● – ● ● ●