

TACOMA 4X2/PRERUNNER FEATURES 2002

| TACOMA 4X2 / PRERUNNER | XTRACAB | PRERUNNER XTRACAB | PRERUNNER XTRACAB V6 | PRERUNNER DOUBLE CAB V6 |
|---|---------|-------------------|----------------------|-------------------------|
| INTERIOR | | | | |
| • Tachometer | • | • | • | • |
| • Front Passenger Vanity Mirror | • | • | • | • |
| • Map Lamps | | | • | • |
| • Illuminated Entry System | • | • | • | • |
| • Front Bucket Seats | • | • | • | • |
| • 60/40 Split Fold-Down Rear Seat | | | | • |
| • 50/50 Split Rear Jump Seats with Fold-Down Cushions | • | • | • | |
| • Full Fabric Seats, Fabric Door Trim | • | • | • | • |
| • Carpet Mats | • | • | • | • |
| • Tilt, 4-Spoke Steering Wheel | • | • | • | • |
| • AM/FM Cassette CD, 6-Speakers | • | • | • | • |
| • Power Door Locks & Windows | | | • | • |
| • Air Conditioning | | | • | • |
| CONVENIENCE | | | | |
| • Door Map Pockets | • | • | • | • |
| • Cruise Control | • | | • | • |
| • Front & Rear Cup Holders | • | • | • | • |
| • Accessory Power Outlets | • | • | • | • |
| • Storage Under Rear Seat | • | • | • | |
| • Digital Clock | • | • | • | • |
| SAFETY | | | | |
| • Driver & Front Passenger Airbag Supplemental Restraint System (SRS)* | • | • | • | • |
| • Front Seatbelt Pretensioners & Force Limiters | • | • | • | • |
| • Adjustable "B" Pillar Shoulder Belt Anchors, Outboard 3-Point Lap & Shoulder Belts | • | • | • | • |
| • Anchor Points for Child Restraint Seats | • | • | • | • |
| • Low Fuel Warning, Door Ajar, Low Washer Fluid Warnings | • | • | • | • |
| • Front Tow Hook | • | • | • | • |
| EXTERIOR | | | | |
| • Dual Foldable Mirrors | | • | • | • |
| • Dual Remote Control Mirrors | • | • | | |
| • Dual Power Remote Control Mirrors | | | • | • |
| • Intermittent Wipers | • | • | • | • |
| • Tilt-Out Rear Quarter Windows | • | • | • | |
| • Sliding Rear Window | • | • | • | • |
| • Privacy Glass | • | | • | • |
| • Fender Flares | | | • | • |
| • Front & Rear Splash Guards | • | • | • | • |
| • Aero Style Multi-Reflector Halogen Headlamps | • | • | • | • |
| • Styled Steel Wheels | • | • | | |
| • Aluminum Alloy Wheels, Wheel Locks | | | • | • |
| • Chrome Bumpers & Trim | • | | • | • |
| • Rear Step Bumper | • | • | • | • |
| • Roof Rack | | | | • |
| • 6 Foot Cargo Bed | • | • | • | |
| • 5 Foot Cargo Bed | | | | • |
| Additional Accessories : | | | | |
| • Bed Liner, Bed Mat, Bed Extender, Cargo Net, All Weather Floor Mats | ○ | ○ | ○ | ○ |
| • 6-Disc Remote CD Changer, Security System, Spare Tire Lock | ○ | ○ | ○ | ○ |
| • Front End Mask, Hood Deflector, Tonneau Cover | ○ | ○ | ○ | ○ |
| • Towing Hitch, Block Heater | ○ | ○ | ○ | ○ |
| • Air Conditioning | ○ | ○ | | |
| • Standard ○ - Optional *See Airbag Notice Information correct at time of printing. Subject to change without notice. | | | | |

TACOMA 4X2/PRERUNNER SPECIFICATIONS 2002

| TACOMA 4X2 / PRERUNNER | | | XTRACAB | PRERUNNER XTRACAB | PRERUNNER XTRACAB V6 | PRERUNNER DOUBLE CAB V6 |
|---|--|---|--|--|----------------------|-------------------------|
| MECHANICAL | | | | | | |
| Engine | 2RZ-FE 3RZ-FE 5VZ-FE | • 2.4 Litre (2438cc), 4-Cylinder, DOHC, 16-Valve, Sequential Multiport Electronic Fuel Injection, LEV* • 2.7 Litre (2694cc), 4-Cylinder, DOHC, 16-Valve, Sequential Multiport Electronic Fuel Injection, LEV* • 3.4 Litre (3378cc), V6, DOHC, 24-Valve, Sequential Multiport Electronic Fuel Injection, LEV* | • | • | • | • |
| Compression Ratio | | • 9.5:1 • 9.6:1 | • | • | • | • |
| Horsepower (kW) | | • 142 (106) @ 5000 rpm • 150 (112) @ 4800 rpm • 190 (142) @ 4800 rpm | • | • | • | • |
| Torque (N.m) | | • 160 lb. ft. (217) @ 4000 rpm • 177 lb. ft. (240) @ 4000 rpm • 220 lb. ft. (298) @ 3600 rpm | • | • | • | • |
| Suspension | | • Front: Independent, Double-Wishbone, Coil Springs, Stabilizer Bar, Gas-Filled Shock Absorbers • Rear: Multi-Leaf Springs & Bias Mounted Gas-Filled Shock Absorbers • Bilstein [†] Shock Absorbers with Locking Rear Differential • Tokico [†] Shock Absorbers with Locking Rear Differential | • | • | • | • |
| Drivetrain | | • Front Engine/Rear-Wheel Drive | • | • | • | • |
| Transmission | | • 5-Speed Overdrive Manual • 4-Speed Electronically Controlled Overdrive Automatic with Overdrive Cancel Switch | • | • | • | • |
| Brakes | | • Power-Assisted Ventilated Front Discs/Rear Drums | • | • | • | • |
| Steering | | • Rack & Pinion with Variable Power Assist | • | • | • | • |
| Tires | | • All-Season Radials P205/75R15, Full-Size Spare • All-Season Radials P225/75R15, Full-Size Spare • Off-Road Radials P265/70R16, Full-Size Spare | • | • | • | • |
| DIMENSIONS | | | | | | |
| | <i>mm (in.)</i> | | | | | |
| Length | Xtracab 5010 (197.2) | PreRunner Xtracab/PreRunner Xtracab V6/PreRunner Double Cab V6 | 5135 (202.1) | | | |
| Width | 1690 (66.5) | | | | | |
| Height (Unloaded) | Xtracab 1615 (63.6) | PreRunner Xtracab/PreRunner Xtracab V6/PreRunner Double Cab V6 | 1715 (67.5) | | | |
| Bed Length | Xtracab/PreRunner Xtracab/PreRunner Xtracab V6 | 1892 (74.5) | PreRunner Double Cab V6 | 1562 (61.5) | | |
| Bed Width | (Between Wheel Wells) | Xtracab 1038 (40.9) | PreRunner Double Cab V6 | 1047 (41.2) | | |
| Wheelbase | 3095 (121.8) | | | | | |
| Tread | Xtracab Front: 1450 (57.1) Rear: 1455 (57.3) | PreRunner Xtracab/PreRunner Xtracab V6/PreRunner Double Cab V6 | Front: 1500 (59.1) Rear: 1495 (58.9) | | | |
| Ground Clearance | Xtracab 215 (8.5) | PreRunner Xtracab 275 (10.8) | PreRunner Xtracab V6 275 (10.8) | PreRunner Double Cab V6 255 (10.0) | | |
| Seating Capacity | Xtracab/PreRunner Xtracab/PreRunner Xtracab V6 | 4 | PreRunner Double Cab V6 | 5 | | |
| Headroom | Xtracab/PreRunner Xtracab/PreRunner Xtracab V6 | Front: 983 (38.7) Rear: 884 (34.8) | PreRunner V6 Double Cab | Front: 988 (38.9) Rear: 961 (37.8) | | |
| Legroom | Xtracab/PreRunner Xtracab/PreRunner Xtracab V6 | Front: 1088 (42.8) Rear: 690 (27.2) | PreRunner V6 Double Cab | Front: 1088 (42.8) Rear: 858 (33.8) | | |
| Shoulder Room | Xtracab/PreRunner Xtracab/PreRunner Xtracab V6 | Front: 1371 (54.0) Rear: 1329 (52.3) | PreRunner V6 Double Cab | Front: 1371 (54.0) Rear: 1360 (53.5) | | |
| GROSS VEHICLE WEIGHT | <i>kg (lbs.)</i> | | | | | |
| | 2315 (5103) | | • | • | • | • |
| CURB WEIGHT | <i>kg (lbs.)</i> | | | | | |
| | 1365 (3010) | | • | | | |
| | 1483 (3270) | | | • | | |
| | 1521 (3355) | | | | • | |
| | 1576 (3475) | | | | | • |
| TOWING CAPACITY | <i>kg (lbs.)</i> | | | | | |
| | 1587 (3500) | | • | • | | |
| | 2268 (5000) | | | | • | • |
| PAYLOAD^{††} | <i>kg (lbs.)</i> | | | | | |
| | 410 (904) | | • | | | |
| | 500 (1102) | | | • | • | |
| | 455 (1003) | | | | | • |
| FUEL CAPACITY | <i>litres (gal.)</i> | | | | | |
| | 60 (13.2) | | • | | | |
| | 70 (15.4) | | | • | • | • |
| FUEL CONSUMPTION RATING^{**} | | <i>L / 100 km</i> | <i>mpg</i> | | | |
| City/Highway | | 11.1/8.9 | 25/32 | • | | |
| | | 12.5/10.3 | 23/27 | | • | |
| | | 14.1/11.4 | 20/25 | | | • |

• - Standard [†]Off-Road suspension does not increase payload ^{††}Payload = Passengers, Equipment, Luggage & Cargo *Meets U.S. Environmental Protection Agency (EPA) and California Air Resources Board (CARB) Low Emission Vehicle (LEV) standards.
 **These estimates are based on 2001 model year data and the Government of Canada's approved criteria and testing methods. The actual fuel consumption of this vehicle may vary. Refer to the Government of Canada publication –
 EnerGuide Fuel Consumption Guide. Information correct at time of printing. Subject to change without notice.

TACOMA 4X4 FEATURES 2002

| TACOMA 4X4 | XTRACAB | XTRACAB V6 | XTRACAB V6 - PKG 2 | XTRACAB V6 OFFROAD | DOUBLE CAB V6 | DOUBLE CAB V6 - PKG 2 | DOUBLE CAB V6 OFFROAD |
|--|---------|------------|--------------------|--------------------|---------------|-----------------------|-----------------------|
| INTERIOR | | | | | | | |
| • Tachometer/4WD Indicator | • | • | • | • | • | • | • |
| • Front Passenger Vanity Mirror | • | • | • | • | • | • | • |
| • Map Lamps | | | • | • | • | • | • |
| • Illuminated Entry System | • | • | • | • | • | • | • |
| • Front Bucket Seats | • | • | • | | • | • | |
| • Front Sport Seats with Power Lumbar | | | | • | | | • |
| • 60/40 Split Fold-Down Rear Seat | | | | | • | • | • |
| • 50/50 Split Rear Jump Seats with Fold-Down Cushions | • | • | • | • | | | |
| • Full Fabric Seats, Fabric Door Trim | • | • | • | • | • | • | • |
| • Passenger Seat Rear Walk-In Assist | • | • | • | • | | | |
| • Carpet Mats | • | • | • | • | • | • | • |
| • Tilt, 4-Spoke Steering Wheel | • | • | • | • | • | • | • |
| • AM/FM Cassette CD, 6-Speakers | • | • | • | • | • | • | • |
| • Power Door Locks & Windows | | | • | • | | • | • |
| • Air Conditioning | | • | • | • | • | • | • |
| CONVENIENCE | | | | | | | |
| • Door Map Pockets, Front & Rear Cup Holders, Digital Clock | • | • | • | • | • | • | • |
| • Cruise Control | | | | • | | | • |
| • Accessory Power Outlets | • | • | • | • | • | • | • |
| • Storage Under Rear Seat | • | • | • | • | | | |
| SAFETY | | | | | | | |
| • Driver & Front Passenger Airbag Supplemental Restraint System (SRS)* | • | • | • | • | • | • | • |
| • Front Seatbelt Pretensioners & Force Limiters | • | • | • | • | • | • | • |
| • Adjustable "B" Pillar Shoulder Belt Anchors, Outboard 3-Point Lap & Shoulder Belts | • | • | • | • | • | • | • |
| • Anchor Points for Child Restraint Seats | • | • | • | • | • | • | • |
| • Low Fuel Warning, Door Ajar, Low Washer Fluid Warnings | • | • | • | • | • | • | • |
| • Front Tow Hook | • | • | • | • | • | • | • |
| EXTERIOR | | | | | | | |
| • Dual Foldable Mirrors | • | • | • | • | • | • | • |
| • Power Remote Control Mirrors | | | • | • | | • | • |
| • Intermittent Wipers | • | • | • | • | • | • | • |
| • Sliding Rear Window | • | • | • | • | • | • | • |
| • Tilt-Out Rear Quarter Windows | • | • | • | • | | | |
| • Privacy Glass | | | • | • | | • | • |
| • Fender Flares | | • | • | | • | • | |
| • Front & Rear Splash Guards | • | • | • | • | • | • | • |
| • Aero Style Multi-Reflector Halogen Headlamps | • | • | • | • | • | • | • |
| • Styled Steel Wheels | • | | | | | | |
| • Chrome Bumpers & Trim, Chrome Styled Steel Wheels, Wheel Locks | | • | • | | • | • | |
| • Aluminum Alloy Wheels, Wheel Locks | | | | • | | | • |
| • Roof Rack | | | | | | • | |
| • Colour Keyed Fender Flares, Front & Rear Bumper, Door Handles, Front Grille Surround | | | | • | | | |
| • Colour Keyed Fender Flares, Front Bumper, Door Handles, Front Grille Surround | | | | | | | • |
| • Moonroof | | | | • | | | • |
| Additional Accessories : | | | | | | | |
| • Bed Liner, Bed Mat, Bed Extender, Cargo Net, All Weather Floor Mats | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| • 6-Disc Remote CD Changer, Security System, Spare Tire Lock | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| • Front End Mask, Hood Deflector, Tonneau Cover, Licence Plate Cover | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| • Towing Hitch, Block Heater | ○ | ○ | ○ | ○ | ○ | ○ | ○ |
| • Air Conditioning | ○ | | | | | | |

• Standard ○ - Optional *See Airbag Notice Information correct at time of printing. Subject to change without notice.

TACOMA 4X4 SPECIFICATIONS 2002

| TACOMA 4X4 | | XTRACAB | XTRACAB V6 | XTRACAB V6 - PKG 2 | XTRACAB V6 OFFROAD | DOUBLE CAB V6 | DOUBLE CAB V6 - PKG 2 | DOUBLE CAB V6 OFFROAD |
|---|---|--|------------|--------------------|--------------------|---------------|-----------------------|-----------------------|
| MECHANICAL | | | | | | | | |
| Engine | 3RZ-FE 5VZ-FE | • 2.7 Litre (2694cc), 4-Cylinder, DOHC, 16-Valve, Sequential Multiport Electronic Fuel Injection, LEV* • 3.4 Litre (3378cc), V6, DOHC, 24-Valve, Sequential Multiport Electronic Fuel Injection, LEV* | • | • | • | • | • | • |
| Compression Ratio | • 9.5:1 • 9.6:1 | | • | • | • | • | • | • |
| Horsepower (kW) | • 150 (112) @ 4800 rpm • 190 (142) @ 4800 rpm | | • | • | • | • | • | • |
| Torque (N.m) | • 177 lb. ft. (240) @ 4000 rpm • 220 lb. ft. (298) @ 3600 rpm | | • | • | • | • | • | • |
| Suspension | • Front: Independent, Double-Wishbone, Coil Springs, Stabilizer Bar, Gas-Filled Shock Absorbers • Rear: Multi-Leaf Springs & Bias Mounted Gas-Filled Shock Absorbers • Bilstein [†] Shock Absorbers with Locking Rear Differential • Tokico [†] Shock Absorbers with Locking Rear Differential | | • | • | • | • | • | • |
| Drivetrain | • Front Engine/Part-Time 4WD with A.D.D. (Automatic Disconnecting Differential) | | • | • | • | • | • | • |
| Transmission | • 5-Speed Overdrive Manual • 4-Speed Electronically Controlled Overdrive Automatic with Overdrive Cancel Switch | | • | ○ | ○ | • | • | • |
| Brakes | • Power-Assisted Ventilated Front Discs/Rear Drums • 4-Wheel ABS (Antilock Braking System) | | • | • | • | • | • | • |
| Steering | • Rack & Pinion with Variable Power Assist | | • | • | • | • | • | • |
| Tires | • All-Season Radials P225/75R15, Full-Size Spare • All-Season Radials P265/70R16, Full-Size Spare | | • | • | • | • | • | • |
| DIMENSIONS | | | | | | | | |
| | <i>mm (in.)</i> | | | | | | | |
| Length | 5135 (202.1) | | | | | | | |
| Width | 1690 (66.5) | | | | | | | |
| Height (Unloaded) | 1720 (67.7) | | | | | | | |
| Bed Length | Xtracab/Xtracab V6 1892 (74.5) | Double Cab V6 1562 (61.5) | | | | | | |
| Bed Width | (Between Wheel Wells) Xtracab/Xtracab V6 1038 (40.9) | Double Cab V6 1047 (41.2) | | | | | | |
| Wheelbase | 3095 (121.8) | | | | | | | |
| Tread | Front: 1500 (59.1) Rear: 1495 (58.9) | | | | | | | |
| Ground Clearance | Xtracab models 275 (10.8) | Double Cab models 255 (10.0) | | | | | | |
| Seating Capacity | Xtracab/Xtracab V6 4 Double Cab V6 5 | | | | | | | |
| Headroom | Xtracab/Xtracab V6 Front: 983 (38.7) Rear: 884 (34.8) | Double Cab V6 Front: 988 (38.9) Rear: 961 (37.8) | | | | | | |
| Legroom | Xtracab/Xtracab V6 Front: 1088 (42.8) Rear: 690 (27.2) | Double Cab V6 Front: 1088 (42.8) Rear: 858 (33.8) | | | | | | |
| Shoulder Room | Xtracab/Xtracab V6 Front: 1371 (54.0) Rear: 1329 (52.3) | Double Cab V6 Front: 1371 (54.0) Rear: 1360 (53.5) | | | | | | |
| GROSS VEHICLE WEIGHT | | | | | | | | |
| | <i>kg (lbs.)</i> | | | | | | | |
| | 2315 (5104) | | • | • | • | • | • | • |
| CURB WEIGHT | | | | | | | | |
| | <i>kg (lbs.)</i> | | | | | | | |
| | Manual 1574 (3470) | | • | | | | | |
| | Manual/Automatic 1594 (3515)/1606 (3540) | | | •/○ | •/○ | •/○ | | |
| | Automatic 1681 (3705) | | | | | | • | • |
| TOWING CAPACITY | | | | | | | | |
| | <i>kg (lbs.)</i> | | | | | | | |
| | 1587 (3500) | | • | | | | | |
| | 2268 (5000) | | | • | • | • | • | • |
| PAYLOAD^{††} | | | | | | | | |
| | <i>kg (lbs.)</i> | | | | | | | |
| | Manual 500 (1102) | | • | | | | | |
| | Manual/Automatic 500 (1102) | | | •/○ | •/○ | •/○ | | |
| | Automatic 440 (970) | | | | | | • | • |
| FUEL CAPACITY | | | | | | | | |
| | <i>litres (gal.)</i> | | | | | | | |
| | 70 (15.4) | | • | • | • | • | • | • |
| FUEL CONSUMPTION RATING^{**} | | | | | | | | |
| | | <i>L / 100 km</i> | <i>mpg</i> | | | | | |
| City/Highway | 4-Cylinder 5-Speed Manual | 12.9/10.0 | 22/28 | • | | | | |
| | V6 5-Speed Manual | 14.0/11.0 | 20/26 | | • | • | • | |
| | V6 4-Speed Automatic | 14.4/11.5 | 20/25 | | ○ | ○ | ○ | • |

• - Standard [†]Off-Road suspension does not increase payload ^{††}Payload = Passengers, Equipment, Luggage & Cargo *Meets U.S. Environmental Protection Agency (EPA) and California Air Resources Board (CARB) Low Emission Vehicle (LEV) standards. ^{**}These estimates are based on 2001 model year data and the Government of Canada's approved criteria and testing methods. The actual fuel consumption of this vehicle may vary. Refer to the Government of Canada publication - EnerGuide Fuel Consumption Guide. Information correct at time of printing. Subject to change without notice.